

Model 4100

Aluminum Overlay Door



- Overlays openings and does not require precise fit
- Fits non-standard openings
- Easily installed; simple, one-person job
- Sturdy frame gives years of trouble-free operation
- Magnetic catch system adjusts to variations in opening sizes
- 3mm safety-backed mirror; 4mm on 3'0" widths
- Mounting Pivots: 12 gauge pivot brackets eliminate track
- Stiles/Rails: Bright Gold, Satin Silver
- Limited lifetime warranty

Model 4100 Aluminum Overlay Door

MIRROR DOOR SPECIFICATIONS

Provide Model 4100 overlay mirror wardrobe doors manufactured by Slimfold Corporation, Dothan, AL in the dimensions shown on the drawings and with the following attributes:

ARRANGEMENT

- Overlay mirror door shall consist of a single mirror panel framed with anodized aluminum stiles and rails secured together with screws.
- Overlay mirror door shall be supported by 12 gauge pivot brackets at both the top and bottom and shall be prefinished to match the framing.
- A quieting nylon pivot bushing shall be used to interface between the frame and the pivot brackets.
- Magnetic catch shall be capable of being mounted on the inside perimeter of the opening and utilize a one-piece plate that does not require adjustments for variations in opening sizes.
- Stile profile shall be such that it consists of an integral pull.

PANELS

- 3mm float plate glass mirror (4mm on 3'0" widths), safety backed to conform with Uniform Building Code Standard 24-2, Part II. Safety mirror 400 lb. ft. Impact test ANSI Z-97.1 1984 boil and impact test.
- Mirror is to be received and mechanically locked into frame components and utilizes a flexible glazing channel.

FINISHES

Satin Silver only

No. Panels	Opening	Door Width	Distance Between Cut Moldings
1	2'0"	28-1/2"	28-3/8"
1	2'6"	34-1/2"	34-3/8"
1	3'0"	40-1/2"	40-3/8"

Required Finished Opening Heights:


6'8" (80-1/2") (2045mm)

(Door height is 81") (1994mm)

Finished opening width tolerances +1" / -3"

(+25mm/-152mm)

Finished opening height tolerance +1-1/2"(38mm)



1101 Technology Drive | Dothan, Alabama 36303
800.633.7553 | 334.794.9184 (fax)
 www.dunbarton.com | sales@dunbarton.com